

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	<input type="text"/>	<input type="button" value="▲"/>	<input type="button" value="▼"/>
-------	----------------------	----------------------------------	----------------------------------

Display:	<input type="text" value="10"/>	Documents in	Display Format:	<input type="text" value="TI"/>	Starting with Number	<input type="text" value="1"/>
----------	---------------------------------	--------------	-----------------	---------------------------------	----------------------	--------------------------------

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Thursday, February 26, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L38</u>	(generat\$6 or perform\$4 or display\$3) adj5 (sound or image or icon or noise or warn\$3 or visual or graphic or indicat\$6 or buzzer or action) same (in response or responsive) adj3 receiv\$3 adj3 (command or ping or icmp)	21	<u>L38</u>
<u>L37</u>	(generat\$6 or perform\$4 or display\$3) adj5 (sound or image or icon or noise or warn\$3 or visual or graphic or indicat\$6 or buzzer or action) same (in response or responsive or receiv\$3) adj3 (command or ping or icmp)	2868	<u>L37</u>
<u>L36</u>	L35 and (icmp or ping)	3	<u>L36</u>
<u>L35</u>	(in response or responsive or receiv\$3) adj3 command adj4 (generat\$6 or perform\$4 or display\$3) adj5 (sound or image or icon or noise or warn\$3 or visual or graphic or indicat\$6 or buzzer)	238	<u>L35</u>
<u>L34</u>	(in response or responsive or receiv\$3) adj3 (icmp or ping or command) adj4 (generat\$6 or perform\$4 or display\$3) adj5 (sound or image or icon or noise or warn\$3 or visual or graphic or indicat\$6 or buzzer)	238	<u>L34</u>
<u>L33</u>	(in response or responsive or receiv\$3) adj3 (icmp or ping) adj4 (generat\$6 or perform\$4 or display\$3) adj5 (sound or image or icon or noise or warn\$3 or visual or graphic or indicat\$6 or buzzer)	0	<u>L33</u>

<u>L32</u>	(in response or responsive or receiv\$3) adj3 (icmp or ping or echo) adj4 (generat\$6 or perform\$4 or display\$3) adj5 (sound or image or icon or noise or warn\$3 or visual or graphic or indicat\$6 or buzzer)	93	<u>L32</u>
<u>L31</u>	L30 same user	43	<u>L31</u>
<u>L30</u>	(in response or responsive or receiv\$3) adj3 (icmp or ping or echo or command) adj4 (generat\$6 or perform\$4 or display\$3) adj5 (sound or image or icon or noise or warn\$3 or visual or graphic or indicat\$6)	331	<u>L30</u>
<u>L29</u>	(in response or responsive or receiv\$3) ad3 (icmp or ping or echo or command) adj4 (generat\$6 or perform\$4 or display\$3) adj5 (sound or image or icon or noise or warn\$3 or visual or graphic or indicat\$6)	0	<u>L29</u>
<u>L28</u>	(in response or responsive or receiv\$3) near5 (icmp or ping or echo or command) near5 (generat\$6 or perform\$4 or display\$3) near5 (sound or image or icon or noise or warn\$3 or visual or graphic or indicat\$6)	1931	<u>L28</u>
<u>L27</u>	receiv\$3 near5 (icmp or ping or echo) near5 (computer or workstation or host or device) near5 (generat\$6 or perform\$4 or display\$3 or respon\$6) near5 (sound or image or icon or noise or warn\$3 or visual)	22	<u>L27</u>
<u>L26</u>	(user or client or computer) same light same detect\$5	19185	<u>L26</u>
<u>L25</u>	(user or client or computer) same light and detect\$5	50285	<u>L25</u>
<u>L24</u>	L21 notif\$7 same light and detect\$5	0	<u>L24</u>
<u>L23</u>	L21 notif\$7 same light same detect\$5	0	<u>L23</u>
<u>L22</u>	L21 notif\$7 same light with detect\$5	0	<u>L22</u>
<u>L21</u>	receiv\$3 near5 (icmp or ping or command) near5 (computer or workstation or host or device) near5 (generat\$6 or perform\$4 or display\$3 or respon\$6) near5 (sound or image or icon or noise or warn\$3 or visual)	120	<u>L21</u>
<u>L20</u>	receiv\$3 near5 (icmp or ping or command) near5 target adj3 (computer or workstation or host or device) near5 (generat\$6 or perform\$4 or display\$3 or respon\$6) near5 (sound or image or icon or noise or warn\$3 or visual)	0	<u>L20</u>
<u>L19</u>	(in response or respons\$6 or after) adj3 receiv\$3 near5 (icmp or ping or command) near5 device near5 (generat\$6 or perform\$4 or display\$3 or respon\$6) near5 (sound or action or alarm or image or icon or noise or warn\$3 or visual)	15	<u>L19</u>
<u>L18</u>	l1 same (identif\$4 or determin\$3) near5 device	36	<u>L18</u>
<u>L17</u>	L16 same (identif\$6 or discover\$4)	6	<u>L17</u>
<u>L16</u>	(computer or laptop or mobile or device or computer or workstation) same receiv\$3 near5 (icmp or ping or command) near5 (generat\$6 or perform\$4 or display\$3) near5 (sound or action or warn\$3 or image or icon or visual)	189	<u>L16</u>
<u>L15</u>	(computer or laptop or mobile or device or computer or workstation) same receiv\$3 near5 (icmp or ping) near5 (generat\$6 or perform\$4 or display\$3) near5 (sound or action or warn\$3 or image or icon or visual)	0	<u>L15</u>
<u>L14</u>	(computer or laptop or mobile or device or computer or workstation) near5 receiv\$3 near5 (icmp or ping) near5 (generat\$6 or perform\$4 or display\$3) near5 (sound or action or warn\$3 or image or icon or visual)	0	<u>L14</u>
<u>L13</u>	(computer or laptop or mobile or device or computer or workstation) near5 receiv\$3 near5 icmp near5 (generat\$6 or perform\$4 or display\$3) near5 (sound or action or warn\$3 or image or icon or visual)	0	<u>L13</u>
	(computer or laptop or mobile or device or computer or workstation) near5		

<u>L12</u>	receiv\$3 near5 icmp near5 ping near5 (generat\$6 or perform\$4 or display\$3) near5 (sound or action or warn\$3 or image or icon or visual) (computer or laptop or mobile or device or computer or workstation) near5	0	<u>L12</u>
<u>L11</u>	receiv\$3 near5 (icmp or ping or command) near5 (generat\$6 or perform\$4 or display\$3 or respon\$6) near5 (sound or action or warn\$3 or image or icon or visual) (computer or laptop or mobile or device computer or workstation) near5	125	<u>L11</u>
<u>L10</u>	receiv\$3 near5 (icmp or ping or command) near5 (generat\$6 or perform\$4 or display\$3 or respon\$6) near5 (sound or action or warn\$3 or image or icon or visual) (second or destination or target) adj3 device near5	54	<u>L10</u>
<u>L9</u>	receiv\$3 near5 (icmp or ping or command) near5 (generat\$6 or perform\$4 or display\$3 or respon\$6) near5 (sound or action or warn\$3 or image or icon or visual) (second or destination or target) adj3 device near5	4	<u>L9</u>
<u>L8</u>	receiv\$3 near5 (icmp or ping or command) near5 (generat\$6 or perform\$4 or display\$3 or respon\$6) near5 (sound or action or warn\$3 or image or icon or visual) (second or destination or target) adj3 device near5	4	<u>L8</u>
<u>L7</u>	receiv\$3 near5 (icmp or ping or command) near5 (generat\$6 or perform\$4 or display\$3 or respon\$6) near5 (sound or action or warn\$3 or image or icon or visual) device near5	0	<u>L7</u>
<u>L6</u>	receiv\$3 near5 (icmp or ping or command) near5 (generat\$6 or perform\$4 or display\$3 or respon\$6) near5 (sound or action or warn\$3 or image or icon or visual) device near5	75	<u>L6</u>
<u>L5</u>	receiv\$3 near5 (icmp or ping or command) near5 (generat\$6 or perform\$4 or display\$3 or respon\$6) near5 (sound or action or alarm or image or icon or noise or warn\$3 or visual) receiv\$3 near5	80	<u>L5</u>
<u>L4</u>	receiv\$3 near5 (icmp or ping or command) near5 (generat\$6 or perform\$4 or display\$3 or respon\$6) near5 (sound or action or alarm or image or icon or noise or warn\$3 or visual) receiv\$3 with	984	<u>L4</u>
<u>L3</u>	receiv\$3 with (icmp or ping or command) with (generat\$6 or perform\$4 or display\$3 or issu\$3) with (sound or action or alarm or image or icon or noise or warn\$3) (receiv\$3 or respon\$6) with	2852	<u>L3</u>
<u>L2</u>	(receiv\$3 or respon\$6) with (icmp or ping or command) with (generat\$6 or perform\$4 or display\$3 or issu\$3) with (sound or action or alarm or image or icon or noise or warn\$3) (send\$3 or issu\$3 or transmit\$4) with	4667	<u>L2</u>
<u>L1</u>	(send\$3 or issu\$3 or transmit\$4) with (icmp or ping or command) with (generat\$6 or perform\$4 or display\$3 or issu\$3) with (sound or action or alarm or image or icon or noise or warn\$3)	3981	<u>L1</u>

END OF SEARCH HISTORY

L Number	Hits	Search Text	DB	Time stamp
1	69	(respons\$3 or receiv\$4 or return) near5 (ping or traceroute or icmp) with (notif\$5 or indicat\$5 or audible or visual\$5)	USPAT	2004/02/26 18:52
2	65	((respons\$3 or receiv\$4 or return) near5 (ping or traceroute or icmp) with (notif\$5 or indicat\$5 or audible or visual\$5)) and (notif\$5 or indicat\$5 or audible or visual\$5) with (user or client or target or origin\$5 or request\$4 or ping\$4)	USPAT	2004/02/26 18:47
3	65	((respons\$3 or receiv\$4 or return) near5 (ping or traceroute or icmp) with (notif\$5 or indicat\$5 or audible or visual\$5)) and (notif\$5 or indicat\$5 or audible or visual\$5 or sound or light or peep or noise) with (user or client or target or origin\$5 or request\$4 or ping\$4)	USPAT	2004/02/26 19:04
4	1860	(respons\$3 or receiv\$4 or return) near5 (ping or traceroute or icmp or command) with detect	USPAT	2004/02/26 18:53
5	8	((respons\$3 or receiv\$4 or return) near5 (ping or traceroute or icmp) with (notif\$5 or indicat\$5 or audible or visual\$5)) and (notif\$5 or indicat\$5 or audible or visual\$5 or sound or light or peep or noise) with (user or client or target or origin\$5 or request\$4 or ping\$4)) and (respons\$3 or receiv\$4 or return) near5 (ping or traceroute or icmp or command) with detect\$5	USPAT	2004/02/26 18:53
6	12	((respons\$3 or receiv\$4 or return) near5 (ping or traceroute or icmp) with (notif\$5 or indicat\$5 or audible or visual\$5)) and (notif\$5 or indicat\$5 or audible or visual\$5 or sound or light or peep or noise) with (user or client or target or origin\$5 or request\$4 or ping\$4)) and (indicat\$5 or notif\$6) with (image or audible or visual\$5 or sound or light or peep or noise or icon)	USPAT	2004/02/26 19:05

L Number	Hits	Search Text	DB	Time stamp
1	69	(respons\$3 or receiv\$4 or return) near5 (ping or traceroute or icmp) with (notif\$5 or indicat\$5 or audible or visual\$5)	USPAT	2004/02/26 18:24
2	65	((respons\$3 or receiv\$4 or return) near5 (ping or traceroute or icmp) with (notif\$5 or indicat\$5 or audible or visual\$5)) and (notif\$5 or indicat\$5 or audible or visual\$5) with (user or client or target or origin\$5 or request\$4 or ping\$4)	USPAT	2004/02/26 18:26

L Number	Hits	Search Text	DB	Time stamp
1	69	(respons\$3 or receiv\$4 or return) near5 (ping or traceroute or icmp) with (notif\$5 or indicat\$5 or audible or visual\$5)	USPAT	2004/02/26 18:52
2	65	((respons\$3 or receiv\$4 or return) near5 (ping or traceroute or icmp) with (notif\$5 or indicat\$5 or audible or visual\$5)) and (notif\$5 or indicat\$5 or audible or visual\$5) with (user or client or target or origin\$5 or request\$4 or ping\$4)	USPAT	2004/02/26 18:47
3	65	((respons\$3 or receiv\$4 or return) near5 (ping or traceroute or icmp) with (notif\$5 or indicat\$5 or audible or visual\$5)) and (notif\$5 or indicat\$5 or audible or visual\$5 or sound or light or peep or noise) with (user or client or target or origin\$5 or request\$4 or ping\$4)	USPAT	2004/02/26 19:04
4	1860	(respons\$3 or receiv\$4 or return) near5 (ping or traceroute or icmp or command) with detect	USPAT	2004/02/26 18:53
5	8	((respons\$3 or receiv\$4 or return) near5 (ping or traceroute or icmp) with (notif\$5 or indicat\$5 or audible or visual\$5)) and (notif\$5 or indicat\$5 or audible or visual\$5 or sound or light or peep or noise) with (user or client or target or origin\$5 or request\$4 or ping\$4)) and (respons\$3 or receiv\$4 or return) near5 (ping or traceroute or icmp or command) with detect\$5	USPAT	2004/02/26 18:53
6	12	((respons\$3 or receiv\$4 or return) near5 (ping or traceroute or icmp) with (notif\$5 or indicat\$5 or audible or visual\$5)) and (notif\$5 or indicat\$5 or audible or visual\$5 or sound or light or peep or noise) with (user or client or target or origin\$5 or request\$4 or ping\$4)) and (indicat\$5 or notif\$6) with (image or audible or visual\$5 or sound or light or peep or noise or icon)	USPAT	2004/02/26 19:05